


# Spill Containment

## Replacement Parts

### Replacement Kits and Parts - A1004/A1005 Replaceable

| Model No.              | Description  | Lbs.  |
|------------------------|--|-------|
| <b>A1004EVR-210</b>    | <b>5 Gal Poly</b>  |       |
| 494360EVR              | Primary Replacement Kit (EVR-210A, SW/Drain)   | 64.0  |
| 494466EVR              | Primary Replacement Kit (EVR-211A, SW/No Drain)  | 68.5  |
| 494466DEVR             | Primary Replacement Kit (EVR-211AD, SW/Drain Plug)   | 68.5  |
| 494350EVR              | Primary Replacement Kit (EVR-210S, DW/Drain)   | 71.4  |
| 494350EVRS             | Primary Replacement Kit (EVR-210S, DW/Drain)<br>For old style A1004-210 (see photo at right)                                       | 71.4  |
| 494350EVR-CM           | Primary Replacement Kit (EVR-210S-CM, DW/Drn/Sensor)   | 65.7  |
| 494467EVR              | Primary Replacement Kit (EVR-211S, DW/No Drain)  | 67.7  |
| 494467EVRS             | Primary Replacement Kit (EVR-211S, DW/No Drain)<br>For old style A1004-210 (see photo at right)                                    | 67.7  |
| 494467EVR-CM<br>570226 | Primary Replacement Kit (EVR-211S-CM, DW/No Drn/Sensor)<br>Rim Gasket<br><i>Refer to page 50 for stainless steel retrofit kits</i> | 67.7  |
| <b>A1004EVR-215</b>    | <b>15 Gal Poly</b>   |       |
| 495494EVR              | Primary Replacement Kit (EVR-215S, DW/Drain)   |       |
| 494550EVR              | Primary & Secondary Replacement Kit (EVR-215S, DW/Drain)   | 119.7 |
| 494660EVR<br>570069    | Primary & Secondary Replacement Kit (EVR-216S, DW/No Drn)<br>Rim Gasket  | 117.5 |
| <b>A1004EVR-316</b>    | <b>5 Gal Poly, 16" Center</b>  |       |
| 494797EVR              | Primary Replacement Kit (EVR-316A, SW/Drain)   |       |
| 494798EVR              | Primary Replacement Kit (EVR-317A, SW/No Drain)  |       |
| 494794EVR              | Primary Replacement Kit (EVR-316S, DW/Drain)   | 53.5  |
| 494794EVR-CM           | Primary Replacement Kit (EVR-316S-CM, DW/Drain/Sensor)   |       |
| 494795EVR              | Primary Replacement Kit (EVR-317S, DW/No Drain)  | 36.5  |
| 494795EVR-CM           | Primary Replacement Kit (EVR-317S-CM, DW/No Drn/Sensor)  | 20.9  |
| 494888SS               | Lid Handle Kit   | 0.5   |
| 494836                 | Primary Rim Kit (lid not included)   |       |
| 569989                 | Rim Gasket   |       |
| 570587                 | Rim Screw  |       |
| 572819-025             | Rim Spacer Kit, 1/4"   |       |
| 572819-037             | Rim Spacer Kit, 3/8"   |       |
| 572819-050             | Rim Spacer Kit, 1/2"   |       |
| 572819-100             | Rim Spacer Kit, 1"   |       |
| 572819-100ALT          | Rim Spacer Kit, 1" Multi-piece<br><i>Refer to page 50 for stainless steel retrofit kits</i>  |       |
| <b>A1005-517/-518</b>  | <b>5 Gal Stainless Steel</b>   |       |
| 494845                 | O-ring Kit   |       |
| 494897                 | Flange Seal, A1005-517GS   |       |
| 494836                 | Primary Rim Kit (lid not included)   | 16.0  |
| 495075                 | Mounting Kit, Non-Eccentric Ring   | 1.0   |
| 495102                 | Mounting Kit, Eccentric Ring   | 2.0   |
| 495229                 | Mounting Kit, A1005-517GS  | 3.8   |
| 495370                 | Primary Replacement Kit, (w/lid) A1005-518GP   |       |
| 495370X                | Primary Replacement Kit, (w/o lid) A1005-518GP   |       |
| 495524                 | Bellows Gasket Kit, A1005-518GP  |       |
| 495644                 | Conversion Kit, A1005-518GP to A1004EVR-317SS  |       |
| 569989                 | Rim Gasket   |       |



Old Style A1004-210  
No flanges or bolts



New Style A1004-210  
Flanges and bolts included



572819  
Rim Spacer Kit



494845  
O-Ring Kit



495075  
Mounting Kit



495102  
Mounting Kit



495229  
Mounting Kit


### Repair Parts - A1004/A1005 Non-Replaceable

|                                  | Model No.     | Description                                    | Lbs. |
|----------------------------------|---------------|--|------|
| <b>A1004-010 Slimline Series</b> | A1005-505CEW3 | Stainless Steel Retrofit<br>(refer to page 49) | 26.0 |
| <b>A1005-001</b>                 | 493855        | Bellows Assembly 4"                            | 1.4  |

# Spill Containment

## Replacement Parts

### Drain Assemblies




| Spill Containment Model No. | Drain Assembly | Drain Plug Kit  | Drain Adapter |
|-----------------------------|----------------|-----------------|---------------|
| <b>Replaceable</b>          |                |                 |               |
| A1004 Poly                  | 494551*        | 494697P, 494697 | 494875        |
| A1004EVR 5 gal              | 494118         | 495202, 494698  | N/A           |
| A1004EVR 15 gal             | 494118         | 495202, 494698  | 494952        |
| A1005-505 SST Retrofits     | 494551S*       | 494697S         | N/A           |
| A1005 Stainless Steel       | 493508K        | 495202, 494698  | N/A           |
| <b>Non-Replaceable</b>      |                |                 |               |
| A1003 Poly                  | N/A            | 495677          | N/A           |
| A1004 Slimline, Fatboy      | 493508K        | 495202, 494698  | N/A           |
| A1004EVR Slimline           | 494118         | 495202, 494698  | N/A           |

\*No longer used in new spill containers; limited supply available for replacement parts.



**493820**  
Drain Wrench  
For use on 494118 & 493508K Drains

### Drain Plug Kits



### Drain Adapter



**494875**  
Adapter Kit  
2.26" top dia.

### Dip Sticks



| Model No.     | Description                     | Lbs. |
|---------------|---------------------------------|------|
| 494641        | Dipstick                        | 0.7  |
| 494367        | Dipstick, EVR Spill Containment | 1.2  |
| A1004-001GAGE | EZ-Gage, Emco Spill Containment | 1.1  |

### EZ-Gage

#### A1004-001GAGE

For use on 5 gallon double wall spill containment in place of a dipstick. The EZ-Gage allows for hands-free, visual inspection of interstitial space, displaying green (OK) or red (TEST) to indicate if liquid removal is required.



495625 O-ring Replacement Kit



### Electronic Sensor

Easy access to sensor eliminates bucket removal for annual sensor testing. Provides an access to remove liquid, and for interstitial vacuum testing from the secondary containment. Includes factory-installed liquid electronic sensor with 30' cable. Accommodates the Veeder Root system. Contact Customer Service for information on ordering sensors for other systems.

| Model No.    | Description          | Lbs. |
|--------------|----------------------|------|
| A1004-001SEN | Sensor Kit           | 1.2  |
| 494890       | Sensor Test Port Cap | 1.0  |



Normal Position



Test Position



# Spill Containment

## Replacement Parts

## Lids


### AI004EVR-210 Series

| Description        | Seal   | Lid Dia. | Cast Iron Lid  |      | Composite Lid   |      |
|--------------------|--------|----------|----------------|------|-----------------|------|
|                    |        |          | Model No.      | Lbs. | Model No.       | Lbs. |
| Black              | 571815 | 15.3"    | A1004-210LID   | 20.0 | A1004-210LID-C  | 8.3  |
| Yellow, ULSD       | 571815 | 15.3"    | A1004-210LID-D | 20.0 | A1004-210LID-CD | 8.3  |
| White, Regular     | 571815 | 15.3"    | A1004-210LID-R | 20.0 | A1004-210LID-CR | 8.3  |
| Red, Ultra/Premium | 571815 | 15.3"    | A1004-210LID-U | 20.0 | A1004-210LID-CU | 8.3  |
| Orange, Vapor      | 571815 | 15.3"    | A1004-210LID-V | 20.0 | A1004-210LID-CV | 8.3  |



Vent Valve  
Installed  
In All Lids

495067K Vent Valve Replacement Kit




A1004-210LID  
Cast Iron



A1004-210LID-C  
Composite

### AI004EVR-316, AI005-517 & -518 Series

| Description        | Seal   | Lid Dia. | Cast Iron Lid   |      | Composite Lid  |      |
|--------------------|--------|----------|-----------------|------|----------------|------|
|                    |        |          | Model No.       | Lbs. | Model No.      | Lbs. |
| Black              | 570012 | 13.2"    | A1004-316CLID   | 15.9 | A1004-316LID   | 6.6  |
| Yellow, ULSD       | 570012 | 13.2"    | A1004-316CLID-D | 15.9 | A1004-316LID-D | 6.6  |
| White, Regular     | 570012 | 13.2"    | A1004-316CLID-R | 15.9 | A1004-316LID-R | 6.6  |
| Red, Ultra/Premium | 570012 | 13.2"    | A1004-316CLID-U | 15.9 | A1004-316LID-U | 6.6  |
| Orange, Vapor      | 570012 | 13.2"    | A1004-316CLID-V | 15.9 | A1004-316LID-V | 6.6  |
| Bronze, E85        | 570012 | 13.2"    | A1004-316CLID-E | 15.9 | A1004-316LID-E | 6.6  |



A1004-316CLID  
Cast Iron




A1004-316LID  
Composite

### 15 Gallon Series; Non-Replaceable Series

| Spill Containment Model No. Series | Cast Iron Lid Model No. | Seal   | Lid Dia. | Lbs. |
|------------------------------------|-------------------------|--------|----------|------|
| A1004EVR-215                       | 494554                  | 569227 | 17.3"    | 29.5 |
| A1005-010TM                        | 494554                  | 569227 | 17.3"    | 29.5 |
| A1003                              | 493123                  | 571126 | 15.8"    | 19.1 |
| A1004-003                          | 566332                  | N/A    | 16.3"    | 24.1 |
| A1004-010                          | A1004-210LID            | 571815 | 15.3"    | 20.0 |
| A1005-001, -501                    | A1004-210LID            | 571815 | 15.3"    | 20.0 |



494554  
15 Gallon



493123  
A1003 Series



566332  
A1004 Fatboy



A1004-210LID  
A1004 Slimline

## Replacement Parts

## Lids

### A1005-505 Retrofit

| Spill Containment Model No.     | Cast Iron Lid Model No. | Lid Seal | Lid Dia. | Lbs. |
|---------------------------------|-------------------------|----------|----------|------|
| A1005-505CA, CAZ                | A1005-505CAL            | 568961   | 13.8"    | 16.6 |
| A1005-505C, CD, C5, CBG, CS, CZ | A1005-505CL             | 568961   | 13.7"    | 16.6 |
| A1005-505CC, CC5                | A1005-505CCL            | 568961   | 12.4"    | 16.6 |
| A1005-505CE, CE15, CES          | A1005-505CEL            | 568961   | 13.7"    | 16.6 |
| A1005-505CEW3                   | A1005-505CEW3L          | 570012   | 15.4"    | 14.9 |
| A1005-505CF1                    | A1005-505CFL1           | 568961   | 13.9"    | 16.5 |
| A1005-505CF5                    | A1005-505CF5L           | 568961   | 13.5"    | 15.2 |
| A1005-505C4                     | A1005-505CL4            | 568961   | 12.8"    | 12.3 |
| A1005-505CPEM, CPED             | A1005-505CPEML          | 568961   | 12.8"    | 13.3 |
| A1005-505CP                     | A1005-505CPL            | 570012   | 17.6"    | 24.5 |
| A1005-505CU                     | A1005-505CUL            | 568961   | 12.8"    | 13.4 |
| A1005-505CU70, CEW4             | A1005-505CUL70          | 568961   | 15.0"    | 16.9 |
| A1005-505CEW1, CEW1DR           | A1004-210LID            | 571815   | 15.3"    | 20.0 |
| A1005-505CEW2, CEW2DR           | A1004-316CLID           | 570012   | 13.2"    | 15.9 |




**A1005-505CL**

### A1005-505 Series Lid Seals

Measure inside diameter as shown

|                   |             |
|-------------------|-------------|
| 10 3/8" - 10 1/2" | 568961 Seal |
| 12 3/4" - 13"     | 570012 Seal |



**568961 Lid Seal**  
**570012 Lid Seal**

### **494335 Lid for OPW I-2100 Series**

Incorporates the features of Emco Wheaton A1004 lids: exclusive triple wiper seal, built-in side handle, cast iron construction, and meets AASHTO H20 wheel loading.

Replaces original OPW I-2100 series lid; not for use with A1005-505 Stainless Steel Retrofit Spill Containment. Refer to above chart for A1005-505 Series Lids.



| Model No. | Description               | Lbs. |
|-----------|---------------------------|------|
| 494335    | Lid for OPW I-2100 Series | 21.3 |
| 568961    | Replacement Seal          | 0.3  |