A1004EVR-317SS2B0 Double Wall Stainless Steel Primary/Poly Secondary Spill Containment

Specifications

- Replaceable; easily repair or replace primary & secondary units from grade without breaking concrete
- 5 gal capacity
- · Screw-on
- Weights: Lid: 6.6 lbs; Total: 64 lbs

Materials

- · Powder coated stainless steel rim
- Composite lid; water resistant with built-in handle, exclusive triple wiper seal and vent valve
- Stainless steel bolts & nitrile seals on primary flange

Application

- · Grade level
- Installs 16" on center

Components


- EZ-Gage to monitor interstitial space at a glance
- · SST adapter fitting
- · 494096 Riser Seal
- · A0030-124S Fill Swivel Adapter
- A0097-005 Fill Cap

Approvals

- Phase I EVR Executive Order VR-105
- ULC Listed MH21149
- FL DEP # EQ-741
- NC DENR
- MO DNR
- · Lid meets H20 Load Rating

Color Variant Part Numbers

Model No.	Rim/Lid	A0996 ID Tag				
A1004EVR-317SS2B0	Black					
A1004EVR-317SS2B1	White	Regular				
A1004EVR-317SS2B2	Red	Premium				
A1004EVR-317SS2B3	Yellow	Diesel				
A1004EVR-317SS2B7	White	E0				
A1004EVR-317SS2D6*	Bronze	E85				
*Includes nickel plated swivel adapter						



© 2019 Emco Wheaton Retail Corporation



EMCO WHEATON RETAIL CORP. 2300 INDUSTRIAL PARK DRIVE WILSON, N.C. 27893 emcoretail.com

DO NOT SCALE DRAWING-WORK TO DIMENSIONS SHOWN DIMENSIONS ARE IN INCHES (DIMENSIONS IN BRACKETS ARE IN MILLIMETERS)

UNLESS OTHERWISE SPECIFIED

THE INFORMATION AND DESIGN DISCLOSED BY AND THE COPYRIGHT IN THIS DRAWING ARE THE PROPERTY OF EMCO WHEATON RETAIL CORP. AND CANNOT BE USED WITHOUT WRITTEN PERMISSION.

PART DESCRIPTION

5GAL DW, EVR, REPLACEABLE, 16" CENTER, NPT, N/DRN, SST PRI/POLY SEC, SST FLANGE ADAPTER, SST LID/COMP RIM, RISER SEAL, FILL ADAPTER/CAP

MACHINED SURFAC	CES 125 RMS REMOVE ALL BURI	RS WITHOUT WI	WITHOUT WRITTEN PERIVISSION.		DRAWING NUMBER.	PAGE	REV.	
DRAWN BY	DATE	USED ON	CASTING NUMBER		A1004EVR-317SS2B0	1/1	Α	
CMB	3/16/20	-	-	A				